



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10**Holder of Attestation: Jinko Solar Co., Ltd.**

No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City, Jiangxi
PEOPLE'S REPUBLIC OF CHINA

Name of Object:**Crystalline Silicon Terrestrial Photovoltaic (PV) Modules****Mono Crystalline Silicon Photovoltaic (PV) Modules**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.:

4840922243911

Date, 2025-11-14

(Ming Gu)

Page 1 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10

Model(s):

JKMxxxM-72L-BDV,
JKMxxxM-72-BDV,
(xxx=375-405, in steps of 5, 72 cells)

JKMxxxM-72HL-BDV,
JKMxxxM-72H-BDV,
(xxx=390-410, in steps of 5, 144 cells)

JKMxxxM-60L-BDV,
JKMxxxM-60-BDV,
(xxx=310-335, in steps of 5, 60 cells)

JKMxxxM-60HL-BDV,
JKMxxxM-60H-BDV,
(xxx=325-340, in steps of 5, 120 cells)

JKMxxxM-72L-BDVP,
JKMxxxM-72-BDVP,
(xxx=370-410, in steps of 5, 72 cells)

JKMxxxM-72HL-BDVP,
JKMxxxM-72H-BDVP,
(xxx=375-430, in steps of 5, 144 cells)

JKMxxxM-60L-BDVP,
JKMxxxM-60-BDVP,
(xxx=305-340, in steps of 5, 60 cells)

JKMxxxM-60HL-BDVP,
JKMxxxM-60H-BDVP,
(xxx=310-355, in steps of 5, 120 cells)

JKMxxxN-72H-MBB-BDV,
(xxx=390-415, in steps of 5, 144 cells)

JKMxxxN-60H-MBB-BDV,
(xxx=330-345, in steps of 5, 120 cells)

JKMxxxM-72H-MBB-BDVP,
(xxx=380-415, in steps of 5, 144 cells)

JKMxxxM-60H-MBB-BDVP,
(xxx=315-345, in steps of 5, 120 cells)

JKSN3-DDCA-xxx,
(xxx=405-435, in steps of 5, 156 cells)

JKSN3-CDCA-xxx,

Page 2 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10

(xxx=345-365, in steps of 5, 132 cells)

JKSM3-DDCA-xxx,
(xxx=405-430, in steps of 5, 156 cells)

JKSM3-CDCA-xxx,
(xxx=345-360, in steps of 5, 132 cells)

JKMxxxM-78H-BDVP,
(xxx=415-455, in steps of 5, 156 cells)

JKMxxxM-66H-BDVP,
(xxx=350-385, in steps of 5, 132 cells)

JKMxxxN-78H-BDV,
(xxx=415-460, in steps of 5, 156 cells)

JKMxxxN-66H-BDV,
(xxx=350-385, in steps of 5, 132 cells)

JKMxxxM-7RL3-BDVP,
JKMxxxM-7RL3- BDVP-J,
(xxx=440-465, in steps of 5, 156 cells)

JKMxxxM-6RL3- BDVP,
JKMxxxM-6RL3- BDVP-J,
(xxx=375-390, in steps of 5, 132 cells)

JKMxxxN-7RL3-BDV,
JKMxxxN-7RL3-BDV-J
(xxx=440-490, in steps of 5, 156 cells)

JKMxxxN-6RL3-BDV,
(xxx=375-410, in steps of 5, 132 cells)

JKMxxxM-78HL3-BDVP,
JKMxxxM-78HL3-MBB-BDVP,
(xxx=450-480, in steps of 5, 156 cells)

JKMxxxM-66HL3-BDVP,
JKMxxxM-66HL3-MBB-BDVP,
(xxx=380-405, in steps of 5, 132 cells)

JKMxxxM-72HLM-BDVP,
(xxx=415-460, in steps of 5, 144 cells)

JKMxxxM-60HLM-BDVP,
(xxx=345-380, in steps of 5, 120 cells)

Page 3 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10

JKMxxxM-78HL4-BDVP,
(xxx=570-595, in steps of 5, 132 cells)

JKMxxxM-72HL4-BDVP,
JKMxxxM-72HL4-BDVP-J,
(xxx=500-575, in steps of 5, 144 cells)

JKMxxxM-66HL4-BDVP,
(xxx=460-500, in steps of 5, 132 cells)

JKMxxxM-60HL4-BDVP,
(xxx=420-455, in steps of 5, 120 cells)

JKMxxxM-54HL4-BDVP,
(xxx=375-410, in steps of 5, 108 cells)

JKMxxxM-7RL4-BDVP,
JKMxxxM-7RL4-BDVP-J,
(xxx=535-595, in steps of 5, 156 cells)

JKMxxxM-7TL4-BDVP,
JKMxxxM-7TL4-BDVP-J,
(xxx=500-565, in steps of 5, 144 cells)

JKMxxxM-6RL4-BDVP,
(xxx=460-500, in steps of 5, 132 cells)

JKMxxxM-6TL4-BDVP,
(xxx=420-455, in steps of 5, 120 cells)

JKMxxxM-5RL4-BDVP,
(xxx=375-410, in steps of 5, 108 cells)

JKMxxxN-78HL4-BDV,
JKMxxxN-78HL4-BDV-J
JKMxxxN-78HL4R-BDV
JKMxxxN-78HL4-BDV-IN
JKMxxxN-78HL4-BDV-IN1
(xxx=570-665, in steps of 5, 156 cells)

JKMxxxN-72HL4-BDV,
JKMxxxN-72HL4-BDV-J,
JKMxxxN-72HL4-BDV-U
JKMxxxN-72HL4R-BDV
JKMxxxN-72HL4-BDX
JKMxxxN-72HL4-BDV-IN
JKMxxxN-72HL4-BDV-IN1
(xxx=480-610, in steps of 5, 144 cells)

Page 4 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10

JKMxxxN-66HL4-BDV,
(xxx=440-520, in steps of 5, 132 cells)

JKMxxxN-60HL4-BDV,
JKMxxxN-60HL4R-BDV
(xxx=400-505, in steps of 5, 120 cells)

JKMxxxN-54HL4-BDV,
JKMxxxN-54HL4R-BDV
JKMxxxN-54HL4R-BDB
(xxx=360-460, in steps of 5, 108 cells)

JKBSxxxN-48HL4-BDV,
(xxx=330-380, in steps of 5, 96 cells)

JKBSxxxN-22.5HL4-BDV,
(xxx=155-180, in steps of 5, 45 cells)

JKMxxxN-7RL4-BDV,
JKMxxxN-7RL4-BDV-J,
(xxx=535-595, in steps of 5, 156 cells)

JKMxxxN-7TL4-BDV,
JKMxxxN-7TL4R-BDV
JKMxxxN-7TL4-BDV-J,
(xxx=495-590, in steps of 5, 144 cells)

JKMxxxN-6RL4-BDV,
(xxx=455-500, in steps of 5, 132 cells)

JKMxxxN-6TL4-BDV,
(xxx=415-455, in steps of 5, 120 cells)

JKMxxxN-5RL4-BDV,
(xxx=375-410, in steps of 5, 108 cells)

JKMxxxM-72H-DV,
(xxx=390-415, in steps of 5, 144 cells)

JKMxxxM-60H-DV,
(xxx=325-345, in steps of 5, 120 cells)

JKMxxxM-72-DV,
(xxx=385-405, in steps of 5, 72 cells)

JKxxxM-66R5-BGV,
(xxx=630-665, in steps of 5, 132 cells)

JKxxxM-66H5-BGV,

Page 5 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10

(xxx=635-670, in steps of 5, 132 cells)

JKBSxxxM-48HL4-BDVP

(xxx=335-375, in steps of 5, 96 cells)

JKBSxxxM-22.5HL4-BDVP

(xxx=160-175, in steps of 5, 45 cells)

JKMxxxN-60HL4-MDV,

JKMxxxN-60HL4R-MDV

(xxx=450-505, in steps of 5, 120 cells)

JKMxxxN-54HL4-MDV

JKMxxxN-54HL4R-MDV

(xxx=405-450, in steps of 5, 108 cells)

JKxxxN-66H5-BGV

JKMxxxN-66HL5-BDV

JKMxxxN-66HL5-BDV-IN

JKMxxxN-66HL5-BDV-S

JKMxxxN-66HL5-BDV-S1

(xxx=685-745, in steps of 5, 132 cells)

JKMxxxM-60HL4-MDVP

(xxx=450-465, in steps of 5, 120 cells)

JKMxxxM-54HL4-MDVP

(xxx=405-415, in steps of 5, 108 cells)

JKMxxxM-5RL4-MDVP

(xxx=405-415, in steps of 5, 108 cells)

JKMxxxN-5RL4-MDV

(xxx=420-430, in steps of 5, 108 cells)

JKMxxxN-66HL4M-BDV

JKMxxxN-66HL4M-BDX

JKMxxxN-66HL4M-BDV-IN

JKMxxxN-66HL4M-BDV-S

JKMxxxN-66HL4M-BDV-S1

(xxx=590-655, in steps of 5, 132 cells)

JKMxxxN-72HL4U-BDV

(xxx=590-610, in steps of 5, 144 cells)

JKBSxxxN-48HL4-BDVW

(xxx=370-395, in steps of 5, 96 cells)

Page 6 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 118443 0008 Rev. 10

JKMxxxN-54HL4R-DB
(xxx=435-455, in steps of 5, 108 cells)

JKMxxxN-54HL4M-BDV
(xxx=495-535, in steps of 5, 108 cells)

JKMxxxN-48HL4M-BDV
(xxx=440-475, in steps of 5, 96 cells)

JKMxxxN-48HL4M-DB
(xxx=440-480, in steps of 5, 96 cells)

JKMxxxN-48HL4M-DV
(xxx=440-480, in steps of 5, 96 cells)

JKMxxxN-66QL6-BDV
(xxx=630-670, in steps of 5, 264 cells)

JKMxxxN-51QL6-DV
(xxx=480-515, in steps of 5, 204 cells)

JKMxxxN-51QL6-DB
(xxx=475-510, in steps of 5, 204 cells)

JKMxxxN-51QL6-BDV
(xxx=475-510, in steps of 5, 204 cells)

JKMxxxN-48QL6-DV
(xxx=450-480, in steps of 5, 192 cells)

JKMxxxN-48QL6-DB
(xxx=450-475, in steps of 5, 192 cells)

JKMxxxN-48QL6-BDV
(xxx=460-485, in steps of 5, 192 cells)

Description of

Object:

Maximum Power (Pmax):	745W
Maximum System Voltage:	1500V DC
Protection Class:	II

Tested

according to:

EN IEC 61000-6-3:2021
EN IEC 61000-6-1:2019

Page 7 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.